



Strada del Francese, 21
10071 Borgaro Torinese – Torino – ITALY
Ph.: +39 (011) 4701510 or 4701511 or 4704541
Fax +39 (011) 4703910 – Email: info@reinol.it

TECHNICAL DATA SHEET

PEELY INK 1441

TECHNICAL CHARACTERISTICS

Peely 1441 is a water-based ink formulated for valve action markers. It is specially developed as a masking liquid that is easily removable without leaving any residue. Painting over the dry peely ink is possible with nearly all acri, and

water-alcohol based inks.

Dry erasable from non-porous surfaces and paper, permanent on fabrics.

Colour ref. No:	YELLOW 1441 M313	TURQUOISE 1441 M313	RED 1441 M313	LILAC 1441 M313	ORANGE 1441 M313
Viscosity, cps (25 °C)	12 ± 5	12 ± 5	12 ± 5	12 ± 5	12 ± 5
pH :	10 ± 2	10 ± 2	10 ± 2	10 ± 2	10 ± 2
Colour ref. No:	PINK 1441 M313	GREEN 1441 M313	GREY 1441 M313	WHITE 1441 M313	
Viscosity, cps (25 °C)	12 ± 5	12 ± 5	12 ± 5	12 ± 5	
pH :	10 ± 2	10 ± 2	10 ± 2	10 ± 2	

SUITABLE COMPONENTS

Use valve action markers only. Markers should ideally be stored horizontally and should be capped firmly.

Nibs/Tips: High-porosity polyester nibs suitable for pigments (porosity 60-65%)

Inner Ball: Corrosion safe ball, both stainless steel or glass

Body: HDPE , Polypropylene

It is recommended to thoroughly test the components selected.

sunlight. Cleaning of all filling devices should be done immediately after finishing the process.

INSTRUCTION FOR USE

Stir ink in the drums well before use for at least 15-20 min. Keep the inks under stirring while filling markers in order to avoid sedimentation.

Drums should be closed tightly during storage.

HANDLING INSTRUCTIONS

Store between 15°C and 35°C. Do not expose loose ink to temperatures higher than 35°C. Protect from frost and avoid direct

PACKING

50 KG net Plastic Drums
200 KG net Plastic Drums

Any and all statements, information and recommendations contained in the present technical sheet are drawn up to the best of the experience and knowledge of Reinol and based on tests which we regard as reliable. Nevertheless this does not imply any responsibility, either implicit or explicit, on the side of Reinol. Buyers shall bear all risks arising from the use of the products, it is therefore understood that the sale of the product is not protected by any guarantee, either implicit or explicit.