

SOLPERM CONCENTRATED BASES 3071

TECHNICAL CHARACTERISTICS

Conc. Bases 3071 are seven bases that you can mix together to create your unique colors of permanent solvent-based marker inks.

They are dye-based formulated for filter system markers.

Suitable for any non-porous surface but also for paper or cardboards.

Colour ref. No:	CBLUE 3071	CYELLOW 3071	CRED 3071	CPINK 3071
Viscosity, cps (25 °C) Brookfield Small Sample Adapter Spindle SC4-18, rpm 200 (cps, 25°C)	3,2 ± 0,5	3,1 ± 0,5	3,3 ± 0,5	3,9 ± 0,5
pH:	5,9 ± 0,5	5,9 ± 0,5	6 ± 0,5	5,8 ± 0,5
Colour ref. No:	CYELLOWF105 3071	CBROWN4 3071	BASE 3071	
Viscosity, cps (25 °C) Brookfield Small Sample Adapter Spindle SC4-18, rpm 200 (cps, 25°C)	3,4 ± 0,5	3,6 ± 0,5	2,5 ± 0,5	
pH:	6,1 ± 0,5	2,4 ± 0,5	4 ± 0,5	

SUITABLE COMPONENTS

Markers should ideally be stored horizontally and should be capped firmly.

Nibs/Tips: Polyester for alcohol-based inks, porosity 55-60%

Reservoir: Polyester, density 0,170-0,190 g/cm³

Body: Polypropylene, Polyethylene

Cap, Front Section: Polypropylene, Polyethylene

It is recommended to thoroughly test the components selected.

HANDLING INSTRUCTIONS

Store between 15°C and 30°C. Do not expose loose ink to

temperatures higher than 30°C. Protect from frost and avoid direct sunlight. Storage temperatures above 30°C can result in reduced shelf life of the inks.

CAUTION: the inks are flammable liquids! Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

After use clean the filling unit with alcohol or MEK.

Drums should be closed tightly during storage.

PACKING

50 KG net Plastic or Metal Drums

200 KG net Plastic or Metal Drums

Any and all statements, information and recommendations contained in the present technical sheet are drawn up to the best of the experience and knowledge of Reinol and based on tests which we regard as reliable. Nevertheless this does not imply any responsibility, either implicit or explicit, on the side of Reinol. Buyers shall bear all risks arising from the use of the products, it is therefore understood that the sale of the product is not protected by any guarantee, either implicit or explicit.